



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Sang-Kyu Lee
✉ skmind@hallym.ac.kr

RECEIVED 11 May 2026
REVISED 25 May 2026
ACCEPTED 27 May 2026
PUBLISHED 11 June 2026

CITATION
Jeong YC, Kim YJ, Roh S, Seo ES,
Oh HS, Lee IS, Lee EJ, Cho HJ and
Lee S-K (2026) Correction: Effectiveness
of digital self-care device for at risk
drinking problems: focus on individuals
at risk for alcohol-related issues.
Front. Psychiatry 17:1877781.
doi: 10.3389/fpsyt.2026.1877781

COPYRIGHT
© 2026 Jeong, Kim, Roh, Seo, Oh, Lee,
Lee, Cho and Lee. This is an open-access
article distributed under the terms of the
[Creative Commons Attribution License](#)
(CC BY). The use, distribution or
reproduction in other forums is
permitted, provided the original
author(s) and the copyright owner(s) are
credited and that the original publication
in this journal is cited, in accordance
with accepted academic practice. No
use, distribution or reproduction is
permitted which does not comply with
these terms.

Correction: Effectiveness of digital self-care device for at risk drinking problems: focus on individuals at risk for alcohol-related issues

Yong Chan Jeong¹, Yong Jin Kim², Sungwon Roh³,
Eun Seon Seo⁴, Hong Seok Oh⁵, In Suk Lee⁶, Eun Ji Lee¹,
Hyeon Ji Cho⁷ and Sang-Kyu Lee^{8*}

¹College of Medicine, Hallym University, Chuncheon, Gangwon, Chuncheon, Republic of Korea,
²Department of Social Welfare, Welfare and People Addiction Prevention Institute, Seoul,
Seoul, Republic of Korea, ³Department of Psychiatry, Hanyang University Seoul Hospital, Seoul,
Seoul, Republic of Korea, ⁴Department of Social Welfare, Integrated Addiction Management Support
Center, Hwaseong, Gyeonggi, Hwaseong, Republic of Korea, ⁵Department of Psychiatry, Konyang
University Hospital, Daejeon, Daejeon, Republic of Korea, ⁶Department of Nursing, Integrated
Addiction Management Support Center, Suwon, Suwon, Republic of Korea, ⁷Department of
Counseling Psychology, Sahmyook University, Seoul, Republic of Korea, ⁸Department of Psychiatry,
Hallym University Medical Center, Chuncheon, Gangwon, Republic of Korea

KEYWORDS

alcohol use disorder, digital self-care device, continuous days of sobriety, machine
learning, ROC curve, multiple regression

A Correction on

**Effectiveness of digital self-care device for at risk drinking problems: focus
on individuals at risk for alcohol-related issues**

By Jeong YC, Kim YJ, Roh SW, Seo ES, Oh HS, Lee IS, Lee EJ, Cho HJ and Lee SK (2025). *Front.
Psychiatry* 16:1485940. doi: 10.3389/fpsyt.2025.1485940

Authors “Sungwon Roh and Sang-Kyu Lee” were erroneously spelled as “Sung Won
Roh, Sang Kyu Lee”.

The funder “Hallym University Research Fund” was erroneously omitted. The correct
funding statement is:

“The author(s) declare that financial support was received for the research and/or
publication of this article. This work was supported by a grant from the Korea Health
Technology R&D Project through the Korea Health Industry Development Institute
(KHIDI), funded by the Ministry of Health & Welfare, Republic of Korea (grant number:
HI22C0707, RS-2022-KH125845). This research was supported by Hallym University
Research Fund”.

The original version of this article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated

organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.